

A New Voronoi-Based Surface Reconstruction Algorithm

(1998) (Make Corrections) (124 citations)

Nina Amenta, Marshall Bern, Manolis Kamvysselis
Computer Graphics

View or download:

utexas.edu/users/am...proceedings.ps.gz
berkeley.edu/~jrs/...nKamvysselis.ps.gz
mit.edu/people/manoli/pr...sigcrust.pdf

Cached: [PS.gz](#) [PS](#) [PDF](#)

[Image](#) [Update](#) [Help](#)

 [Bookmark in CiteULike](#)

CiteSeer
Electronic Literature Digital Library

[Home/Search](#) [Bookmark](#) [Context](#) [Related](#)

From: utexas.edu/users/amenta/pu...pubs
(more)

(Enter author homepages)

(Enter summary)

Rate this article: 1 2 3 4 5 (best)

[View Comments \(0\)](#)

Abstract: We describe our experience with a new algorithm for the reconstruction of surfaces from unorganized sample points in IR 3 . The algorithm is the first for this problem with provable guarantees. Given a "good sample" from a smooth surface, the output is guaranteed to be topologically correct and convergent to the original surface as the sampling density increases. The definition of a good sample is itself interesting: the required sampling density varies locally, rigorously capturing the... ([Update](#))

Cited by: [More](#)

Example-Based 3D Scan Completion - Pauly, Mitra, Giesen, Guibas, Gross (2005) ([Correct](#))

Free-form Skeleton-driven Mesh Deformations - Shin Yoshizawa Alexander (2003) ([Correct](#))

Reconstructing Manifold and Non-Manifold Surfaces from Point .. - Jianning Wang Manuel (2005) ([Correct](#))

Active bibliography (related documents): [More](#) [All](#)

0.5: One-Pass Delaunay Filtering for Homeomorphic 3D Surface.. - Amenta, Choi (1999) ([Correct](#))

0.3: Surface Reconstruction by Voronoi Filtering - Amenta, Bern (1998) ([Correct](#))

0.2: A Simple Provable Algorithm for Curve Reconstruction - Dey, Kumar (1999) ([Correct](#))

Similar documents based on text: [More](#) [All](#)

0.5: Surface Reconstruction Simplified - Dey, Leekha (1999) ([Correct](#))

0.4: Delaunay Based Shape Reconstruction from Large Data - Dey, Giesen, Hudson (2001) ([Correct](#))

0.3: A Fast Algorithm for Delaunay Based Surface Reconstruction - Gao, Lu (2003) ([Correct](#))

Related documents from co-citation: [More](#) [All](#)

60: Surface Reconstruction from Unorganized Points - Hoppe, DeRose et al. - 1992

43: A Volumetric Method for Building Complex Models from Range Images - Curless, Levoy - 1996

39: Three-dimensional Alpha Shapes - Edelsbrunner, Mucke - 1992

BibTeX entry: ([Update](#))

N. Amenta, M. Bern, and M. Kamvysselis. A new Voronoi-based surface reconstruction algorithm. To appear in Siggraph 1998. <http://citeseer.ist.psu.edu/amenta98new.html> [More](#)

```
@article{ amenta98new,  
  author = "Nina Amenta and Marshall Bern and Manolis Kamvysselis",  
  title = "A New {Voronoi}-Based Surface Reconstruction Algorithm",  
  journal = "Computer Graphics",  
  volume = "32",  
  number = "{Annual Conference Series}",  
  pages = "415--421",  
  year = "1998",  
  url = "citeseer.ist.psu.edu/amenta98new.html" }
```

Citations (may not include all citations):

313 Surface Reconstruction from Unorganized Points - Hoppe, DeRose et al. - 1992


313 Surface Reconstruction from Unorganized Points - Hoppe - 1994

278 A volumetric method for building complex models from range i.. - Curless, Levoy - 1996

165 Three-dimensional Alpha Shapes - Edelsbrunner, Mucke - 1994

103 Using particles to sample and control implicit surfaces - Witkin, Heckbert - 1994

- 77 Geometric structures for three-dimensional shape reconstruct.. (context) - Boissonnat - 1984
- 73 Automatic Reconstruction of Surfaces and Scalar Fields from .. - Bajaj, Bernardini et al. - 1995
- 55 Surface reconstruction by Voronoi filtering - Amenta, Bern - 1998
- 51 Four results on randomized incremental constructions - Clarkson, Mehlhorn et al. - 1993
- 48 Regular Shape Reconstruction from Unorganized Points (context) - Attali - 1997
- 25 IEEE Transactions on Information Theory (context) - Edelsbrunner, Kirkpatrick et al. - 1983
- 13 The Crust and the fi-Skeleton: Combinatorial Curve Reconstru.. (context) - Amenta, Bern et al.
- 12 Computational morphology of curves - de Figueiredo, Gomes - 1995
- 7 Sampling and reconstructing manifolds using ff-shapes (context) - Bernardini, Bajaj - 1997
- 7 shapes and their derivatives (context) - Melkemi - 1997



The graph only includes citing articles where the year of publication is known.

Documents on the same site (<http://net.cs.utexas.edu/users/amenta/pubs/pubs.html>): [More](#)

Helly-type Theorems and Generalized Linear Programming - Amenta (1994) ([Correct](#))

A short proof of an interesting Helly-type theorem - Amenta (1996) ([Correct](#))

Surface Reconstruction by Voronoi Filtering - Amenta, Bern (1998) ([Correct](#))

[Online articles have much greater impact](#) [More about CiteSeer.IST](#) [Add search form to your site](#) [Submit documents](#) [Feedback](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

Searching for **image and delaunay**.

Restrict to: [Header](#) [Title](#) Order by: [Expected citations](#) [Hubs](#) [Usage](#) [Date](#) Try: [Google \(CiteSeer\)](#)
[Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

95 documents found. **Order: number of citations.**

[A Volumetric Method for Building Complex Models from Range ... - Brian Curless, Marc Levoy \(1996\) \(Correct\) \(266 citations\)](#)

Method for Building Complex Models from Range **Images** Brian Curless and Marc Levoy Stanford surfaces by integrating groups of aligned range **images**. A desirable set of properties for such approaches, Boissanet [2] describes a method for **Delaunay** triangulation of a set of points in 3-space. www-graphics.stanford.edu/papers/volrange/volrange_lowres_figs.ps.gz

One or more of the query terms is very common - only partial results have been returned. Try [Google \(CiteSeer\)](#).

[The Quickhull Algorithm for Convex Hulls - Barber, Dobkin, Huhdanpaa \(1995\) \(Correct\) \(89 citations\)](#)

metallurgy, urban planning, cartography, **image** processing, numerical integration, statistics, incremental algorithms for convex hull and **Delaunay** triangulation. We provide empirical evidence hull -for example, halfspace intersection, **Delaunay** 116 Fayerweather Street, Cambridge, MA 02138, [ftp.cs.princeton.edu/reports/1995/565.ps.Z](ftp://cs.princeton.edu/reports/1995/565.ps.Z)

[On Levels of Detail in Terrains - De Berg, Dobrindt \(1995\) \(Correct\) \(39 citations\)](#)

triangles is this large. Fortunately, a realistic **image** of the terrain is only crucial when one is close landing) should not cause disturbing 'jumps' in the **image**. On the other hand, the reduction of the number advantage of our structure is that it uses the **Delaunay** triangulation at each level, so that triangles [ftp.cs.uu.nl/pub/RUU/CS/techreps/CS-1995/1995-12.ps.gz](ftp://cs.uu.nl/pub/RUU/CS/techreps/CS-1995/1995-12.ps.gz)

[Three-Dimensional Modeling of Human Organs and Its Application to ... - Geiger \(1993\) \(Correct\) \(36 citations\)](#)

geiger@sophia.inria.fr Programme 4: Robotique, **Image** et Vision. R'esum'e Nous pr'esentons une calculations in order to obtain a two-dimensional **image**. Computers are used for **image** treatment, une approximation grace `a la triangulation de **Delaunay**. On pr'esente des r'esultats obtenus `a partir <ftp://sop.inria.fr/prisme/NUAGES/Nuages/R2105.ps.gz>

[Multiresolution Modeling and Visualization of ... - Cignoni, De.. \(1994\) \(Correct\) \(33 citations\)](#)

di Francia) 16149 Genova ITALY -Email: puppo@image.ge.cnr.it CNUCE -Consiglio Nazionale delle the dataset, but also by their shape. Interactive **image** generation may not be feasible for very large 23]Specifically, we have based our model on the **Delaunay** tetrahedralization, that offers suitable www.ima.ge.cnr.it/STAFF/PUPPO/PS/ACM-VV94.ps.gz

[Skeleton-Space: a Multiscale Shape Description Combining Region.. - Ogniewicz \(1994\) \(Correct\)](#)

[\(26 citations\)](#)

which directly operate upon the gray-valued **image** [7, 8, 9]In order to compute a multiscale MAT, [1] F. Meyer, Skeletons in digital spaces,in **Image** Analysis and Mathematical Morphology (J. Serra, from the straight line dual of the VD, the **Delaunay** triangulation [14]Let us assume that each hrl.harvard.edu/pub/skeletons/cvpr94.ps.Z

[Error-bounded Reduction of Triangle Meshes with Multivariate... - Bajaj, Schikore \(1996\) \(Correct\) \(25 citations\)](#)

reduce the size of a mesh with little compromise in **image** quality. Similar techniques have been used for shaped domains. Computer Vision, Graphics and **Image** Processing, 32:127-140, 1985. 3] L. De the originally dense set of points, and compute a **Delaunay** triangulation [2, 3, 4, 12, 17, 19]Silva, et. king.ticam.utexas.edu/CCV/papers/surf4.ps.gz

[Real-Time, Continuous Level of Detail Rendering of... - Lindstrom, Koller.. \(1996\) \(Correct\) \(25 citations\)](#)

to bound the maximum error of the projected **image**. The appropriate level of detail is computed and performs at interactive frame rates with high **image** quality. Typically, the number of rendered triangulation methods (such as those that employ **Delaunay** triangulation techniques)Much of the previous ftp.gvu.gatech.edu/pub/gvu/tr/96-02.ps.Z

Simplex Meshes: a General Representation for 3D Shape.. - Delingette (1994) (Correct) (22 citations)
 N 2214 Mars 1994 PROGRAMME 4 Robotique, **image** et vision Simplex Meshes: à General
 Herv'e Delingette Programme 4 -Robotique, **image** et vision Projet Epidaure Rapport de recherche
 hand, are well-suited for local topology control. **Delaunay** triangulations[Boi84] for instance, generate an
<ftp.inria.fr/INRIA/tech-reports/RR/RR-2214.ps.gz>

General Object Reconstruction based on Simplex Meshes - Delingette (1997) (Correct) (22 citations)
 Delingette *Th#me 3 Interaction homme-machine, **images**, donn#es, connaissances Projet Epidaure *
 reconstruction algorithm of range and volumetric **images**, based on deformable simplex meshes. The
 Object Reconstruction based on Simplex Meshes 5 **Delaunay** tetrahedrisation and serial slice reconstruction
<ftp.inria.fr/INRIA/tech-reports/RR/RR-3111.ps.gz>

Skeletal Reconstruction of Branching Shapes - Ferley, Cani-Gascuel, Attali (1997) (Correct) (14 citations)
 A large amount of work has been done in **image** analysis on the computation of the skeleton 1,
 the implicit surface 17 In practice, the **images** illustrating this paper have rather been rendered
 an heuristic must be used. We first compute the **Delaunay** tetrahedrization of the boundary points p i ,
www-imagis.imag.fr/Publications/ferley/CGF97.ps.gz

Fast Lighting Independent Background Subtraction - Yuri Ivanov (1998) (Correct) (14 citations)
 fields mapping the primary (or key) background **image** to each of the additional reference background
 to each of the additional reference background **images**. At runtime, segmentation is performed by
 of neighboring triangular patches by performing **Delaunay** triangulation of the set, and then interpolate
whitechapel.media.mit.edu/pub/tech-reports/TR-437.ps.Z

Right Triangular Irregular Networks - Evans, Kirkpatrick, Townsend (1997) (Correct) (13 citations)
 the eye position, could be used, but the resulting **image** may be unacceptably coarse in areas close to the
 of addressing spatial regions with application to **image** encoding [11, 10] and adaptive mesh generation
 component, are triangulated (typically using a **Delaunay** triangulation) and linear interpolation is used
www.cs.arizona.edu/people/will/papers/rtn.ps.gz

Interactive Direct Volume Rendering Of Curvilinear And.. - Williams (1992) (Correct) (12 citations)
 : 94 6.6 Comparative Timings and **Image** Quality Summary :
 of the interior of a solid region in a 2D **image** [31]This thesis focuses on volume rendering as
polaris.cs.uiuc.edu/reports/1243.ps.gz

Reconstructing Surfaces from Unstructured 3D Points - Fua, Sander (1992) (Correct) (12 citations)
 assumed to be nonregular samples from underlying **imaged** surfaces. Most existing approaches to this
 then demonstrate our technique using stereo depth **images** corresponding to complex indoor and outdoor
 be interpolated using simple techniques such as **Delaunay** triangulation. In effect, we are both segmenting
www.ai.sri.com/pubs/papers/Fua9201:Reconstructing/document.ps.gz

An Exact Interactive Time Visibility Ordering Algorithm.. - Silva, Mitchell.. (1998) (Correct) (10 citations)
 NY, 10598 p.williams@computer.org. onto the **image** plane, in visibility order, and incrementally
 the cell's color and opacity into the final **image**. Projective methods, as opposed to those using
 classes of meshes (e.g.rectilinear meshes and **Delaunay** meshes [13]it is known that a visibility
cg.ams.sunysb.edu/~csilva/papers/volvis98.ps.gz

Selective Culling of Discontinuity Lines - Hedley, Worrall, Paddon (1997) (Correct) (9 citations)
 in the viewer when they look at the rendered **image** as they would have if they were looking at the
 the 2-norms metric which is defined for an n by m **image** as follows: $k A k^2 = 0 @1 nm n X i=1 m$
 constraint edges inserted into a constrained **Delaunay** triangulation. Discontinuities are classified
hypatia.dcs.qmw.ac.uk/data/uk/cs.bris.ac.uk/1997/1997-hedley.ps.gz

A Linear-Time Algorithm For Testing The Inscribability Of.. - Dillencourt, al. (1995) (Correct) (9 citations)
 of a planar graph G is denoted by G and the **image** of $v \in V(G)$ under the dual map is denoted by v
 and the bounding triad of L are, respectively, the **images** under the dual map of the bounding face and the
 connection between inscribable polyhedra and **Delaunay** triangulations 6 and the importance of
www.neci.nj.nec.com/homepages/wds/trivalent-inscrib.ps

Adaptive Delaunay Triangulation for Attractor Image Coding - Davoine, Chassery (1994) (Correct) (9 citations)

Adaptive **Delaunay** Triangulation for Attractor **Image** Coding F. Davoine and J.M. Chassery Laboratoire
134 Tdsi Cnrs Abstract The Principle Of Attractor **Image** Coding Presented In This Paper Is Based On The
Adaptive **Delaunay** Triangulation for Attractor **Image** Coding F.
<ftp.informatik.uni-freiburg.de/papers/fractal/DaCh94.ps.gz>

First 20 documents [Next 20](#)

Try your query at: [Google \(CiteSeer\)](#) [Google \(Web\)](#) [Yahoo!](#) [MSN](#) [CSB](#) [DBLP](#)

CiteSeer.IST - Copyright [Penn State](#) and [NEC](#)

(FILE 'HOME' ENTERED AT 18:36:26 ON 08 JUL 2007)

FILE 'CAPLUS, MEDLINE, BIOSIS' ENTERED AT 18:36:49 ON 08 JUL 2007

L1	1767 S VASCULAR LUMEN
L2	63 S L1 AND THICKNESS
L3	37 DUPLICATE REMOVE L2 (26 DUPLICATES REMOVED)
L4	29 S L3 AND PY<2004
L5	0 S L4 AND (TRIANGLE OR TRIANGULATION)
L6	5 S L4 AND DESCRIPTOR
L7	6 S L2 AND MEASUREMENT
L8	0 S LUMEN AND BOUNDARY
L9	12 S WALL AND BOUNDARY
L10	2296 S LUMEN AND WALL AND THICKNESS
L11	23 S L10 AND CONTOUR
L12	16 DUPLICATE REMOVE L11 (7 DUPLICATES REMOVED)
L13	1 S DELAUNY TRIANGULATION

FILE 'COMPUSCENCE' ENTERED AT 18:46:17 ON 08 JUL 2007

L14	2 S DELAUNY TRIANGULATION
L15	0 S VASCULAR MORPHOLOGY
L16	1 S MORPHOLOGICAL DESCRIPTOR
L17	5 S LUMEN

1 Delaunay triangulation

=>

WEST Search History

DATE: Sunday, July 08, 2007

Hide?	Set Name	Query	Hit Count
	<i>DB=PGPB,USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<input type="checkbox"/>	L28	L27 and lumen	1
<input type="checkbox"/>	L27	han-c.in.	767
<input type="checkbox"/>	L26	L25 and lumen	1
<input type="checkbox"/>	L25	yuan-c.in.	302
<input type="checkbox"/>	L24	hatsukami-t.in.	1
<input type="checkbox"/>	L23	L22 and wall	84
<input type="checkbox"/>	L22	lumen same thickness same contour	87
<input type="checkbox"/>	L21	L20 same triangle	8
<input type="checkbox"/>	L20	lumen same wall same thickness	5240
<input type="checkbox"/>	L19	L18 and (triangulation or triangle)	6
<input type="checkbox"/>	L18	L17 and thickness	114
<input type="checkbox"/>	L17	L16 same measurement	251
<input type="checkbox"/>	L16	vascular same lumen	12975
<input type="checkbox"/>	L15	7101391.pn.	2
<input type="checkbox"/>	L14	6899729.pn.	2
<input type="checkbox"/>	L13	6004310.pn.	2
<input type="checkbox"/>	L12	5221270.pn.	2
<input type="checkbox"/>	L11	4976720.pn.	2
<input type="checkbox"/>	L10	4551292.pn.	2
<input type="checkbox"/>	L9	6165128.pn.	2
<input type="checkbox"/>	L8	20060241742	2
<input type="checkbox"/>	L7	20050148903	2
<input type="checkbox"/>	L6	20040213756	2
<input type="checkbox"/>	L5	20040208845	2
<input type="checkbox"/>	L4	20040243365	2
<input type="checkbox"/>	L3	6443894.pn.	2
<input type="checkbox"/>	L2	20020193687	3
<input type="checkbox"/>	L1	20040064029	2

END OF SEARCH HISTORY